

Date: Wednesday, 2/15/2006 3:44:12 PM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: STRUT ASSEMBLY
Job Number	: 25820		
Estimate Number	: 10732		
P.O. Number	: N/A	Part Number	: D23241
This Issue	: 2/15/2006	S.O. No.	: N/A
Prsht Rev.	: NC	Drawing Number	: D2324 REV. C
First Issue	: N/A	Project Number	: N/A
Previous Run	: 25048	Drawing Revision	: C
		Material	: N/A
Written By	: <u>See comment below.</u>	Due Date	: 2/28/2006
Checked & Approved By	: <u>06.02.16</u>	Qty:	20 Um: Each
Comment	: Est: E 03.02.28 Reformat; Incorporated D2324-3 & D2324-5 K J/RF		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0

25820A

STOP



D2324-3

B = B25820 A (4)

B = B20749 (4)X

B = B23499 (12)



Comment: Sub-Component STOP

2.0

25820B

STRAP



Comment: Sub-Component STRAP D2324-5 B B24528

3.0

AN312A

Bolt



Comment: Qty.: 2.0000 Each(s)/Unit Total: 40.0000 Each(s)

Bolt M18369

4.0

AN960JD10

Washer



Comment: Qty.: 4.0000 Each(s)/Unit Total: 80.0000 Each(s)

Washer M19413

5.0

MS21042L3

Nut



Comment: Qty.: 2.0000 Each(s)/Unit Total: 40.0000 Each(s)

Nut M18615

SAD 06:03:01

20

6.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble as per Dwg D2324.

SAD 06:03:01

20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: DP Date: 06/03/15
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 2/15/2006 3:44:13 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STRUT ASSEMBLY

Job Number: 25820

Part Number: D23241

Job Number:



Seq. #:

Machine Or Operation:

Description :

7.0

QC5

INSPECT WORK TO CURRENT STEP



2060301

Comment: INSPECT WORK TO CURRENT STEP

8.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

MM 060314 (20)

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

DL 06/03/14 (20)

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *51169*

CX 06/03/15 (20)

11.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21

DP 06/03/15 (20)

Job Completion



LL 060315

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART


DESIGN	DRAWN BY	DART AEROSPACE LTD	
B WILLIAMS	PH	VICTORIA INTERNATIONAL AIRPORT, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2324	REV. C SHEET 1 OF 1
DATE 04.12.14	TITLE STRUT		SCALE
A	94.11.08	NEW ISSUE	
B	96.05.07	UPDATE MATERIALS	
C	04.12.14	UPDATE NOTES	

RELEASED04.12.16 *[Signature]***D2324 STRUT ASSEMBLY**

- 1) IDENTIFY WITH DART P/N D2324 USING FINE POINT PERMANENT INK MARKER

**D2324-3**

- 1) MATERIAL: 6061-T6/T651 BAR (QQ-A-200/8) 0.75 X 0.75
(REF DART SPEC. M6061T6B0-750X00-750)
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDERCOAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) ALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

**D2324-5**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET 16 GAUGE (0.063 THICK)
(REF DART SPEC. M304S16GA)
- 2) FINISH: POWDERCOAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) ALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **25820**